


# BRUSHED AXIAL FANS

## VA01-BP90/LL-79S

## Performance diagram



## Performance chart

Static pressure	Airflow	Current draw	Airflow	Static pressure
mm H <sub>2</sub> O	m <sup>3</sup> /h	A	CFM	in H <sub>2</sub> O
0	3260	13,0	1923	0
5,0	3060	13,5	1805	0,2
10,0	2850	13,9	1682	0,4
15,0	2600	14,4	1534	0,6
20,0	2290	14,6	1351	0,8
25,0	1920	14,8	1133	1,0

This is a not-controlled copy electronically created from the web site [www.spalautomotive.com](http://www.spalautomotive.com). The information contained herein is subject to change without notice. This catalogue/web site does not imply that any such parts are available for supply. The publisher and any party associated with the production of this catalogue/web site do not accept any responsibility or liability whatsoever (to the extent permitted by law) for any inaccuracy, error, misinformation or misleading statements, whether negligently caused or otherwise, contained in this publication. This publication is protected by copyright and may not be reproduced or copied (using any method of reproduction or copying), sold, transmitted, circulated or otherwise forwarded to third parties, in whole or part, without prior written consent of the author.


Static pressure	Airflow	Current draw	Airflow	Static pressure
30,0	1440	14,8	850	1,2
35,0	1010	15,0	596	1,4
40,0	730	15,2	431	1,6
45,0	520	15,8	307	1,8
50,0	280	16,8	165	2,0
55,0	0	18,3	0	2,2

This is a not-controlled copy electronically created from the web site [www.spalautomotive.com](http://www.spalautomotive.com). The information contained herein is subject to change without notice. This catalogue/web site does not imply that any such parts are available for supply. The publisher and any party associated with the production of this catalogue/web site do not accept any responsibility or liability whatsoever (to the extent permitted by law) for any inaccuracy, error, misinformation or misleading statements, whether negligently caused or otherwise, contained in this publication. This publication is protected by copyright and may not be reproduced or copied (using any method of reproduction or copying), sold, transmitted, circulated or otherwise forwarded to third parties, in whole or part, without prior written consent of the author.

- N°4 BORCHIE ALTEZZA H = 7.5  
FORI Ø6.5 INT. Ø336.9  $\pm 0.25$
- N°4 BOSSES - HEIGHT H = 7.5  
FORI Ø6.5 - INTERAXLE Ø336.9  $\pm 0.25$

- N°4 GANCI PER PERNI Ø6  
INTERASSE Ø340.1  $\pm 0.25$
- N°4 HOOKS Ø6  
INTERAXLE Ø340.1  $\pm 0.25$

SEDE PER ANELLO IN GOMMA  
RUBBER SEAL HOUSING



AIRFLOW

